

**Test Report****No.: SHCPCH26010116-01_EN****Date: Sep 21 2026**

Client name: Essentiva Brands LLC
Client address: 1021 E Lincolnway 9461, Cheyenne, WY 82001, United States
Sample name: Essentiva Home- Flushable Wipes 42pcs
Date of manufacture/Batch: LOT:6039
Valid Period/Exp. Date: EXP:02012028
Manufacturer: Yangzhou Shengjie Hygienic Products Co., Ltd.
Sample Acquisition Method: Customer express delivery

The above information and samples are provided and confirmed by the customer, and SGS is not responsible for confirming the accuracy, appropriateness and/or completeness of the information provided by the customer. The testing samples are provided by the customer.

SGS sample ID.: SHCPCH26010116-001
SGS job No.: SHCPCH26010116-01
SGS reference No.: /
Date of receipt: Sep 04 2026
Testing period: Sep 04 2026~Sep 10 2026

Test(s) requested (selected test(s) as requested by applicant) , test method(s), test result(s):
Please refer to next page

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. The results cannot be used for improper publicity. Not be allowed to copy testing report (except for copy of full text) without written approval of the company.

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Authorized Signature Angela Yu



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Cosmetics, Personal Care & Household

3rd Building, No.889, Yishan Road, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 60645189
t (86-21) 60645189

f (86-21) 60645127
f (86-21) 60645127

www.sgsgroup.com.cn
e sgs.china@sgs.com

Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026

The test results are as follows:

Human Patch Test

Study Details

Type of study.....:	Determination of irritating effects to the skin with an occlusive patch test.
Study Period.....:	September 2026
Test subjects.....:	30(19-58 years old; 0 males and 30 females), 30 healthy
Test site.....:	Forearm
Concentration.....:	Undiluted
Negative Control.....:	Blank
Positive Control.....:	SDS (1% in water)

Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reaction in 6 subjects. The negative control water showed no reactions and none of the subjects showed any reaction to the test product.

Methodology

Introduction

The epicutaneous patch test allows us to assess the primary skin irritation potential of cosmetic-finished products and raw materials.

Description

All the work described in this expertise was conducted in accordance with the guidelines by COLIPA (Walker A.P. et al: Test Guidelines for Assessment of Skin Compatibility of Cosmetic Finished Products in Man. Food and Chemical Toxicology 34, 1996, 651-660). Because it was a study with humans, it was carried out in accordance with the Declaration of Helsinki (1964) and subsequent revisions.

Experiments were carried out on 30 volunteers (30 healthy subjects, 0 males and 30 females) between the ages of 19 to 58. The volunteers were clearly informed, verbally and in writing, regarding the nature of the study, the timetable, constraints and possible risks. They gave their written informed consent before participating in the study.

Participants could withdraw from the study at any time without giving reason. During the test period, the subjects refrained from using other substances on the test areas.

Inclusion criteria

- age more than 18 years old
- informed volunteers

Exclusion criteria

- Pregnant or lactating women



Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026

- Blemishes or marks (tattoos, sunburn) which interfere with scoring
- Any skin disease that may interfere with the aim of the study

Procedure

The product was applied in a concentration as outlined above in 8mm Finn Chamber to the inner forearm of the panelists for a period of 24 hours. Proper adherence of the test patches was assured by the inclusion of sodium dodecyl sulphate (SDS) in one concentration (1%) as positive control. Blank was used as a negative control.

The treatment sites were assessed for the presence of irritation by dermatologist at half an hour, 24 hours and 48 hours respectively after removal of the patch.

Scoring scale

ERYTHEMA (abbr. E)

- 0 = no evidence of erythema
- 0.5 = minimal or doubtful erythema
- 1 = slight redness, spotty and diffuse
- 2 = moderate, uniform redness
- 3 = strong uniform redness
- 4 = fiery redness

DRYNESS (SCALING) (abbr. D)

- 0 = no evidence of scaling
- 0.5 = dry without scaling; appears smooth and taut
- 1 = fine/mild scaling
- 2 = moderate scaling
- 3 = severe scaling with large flakes

OEDEMA (abbr. O)

- = absence of oedema
- + = presence of oedema



Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026

Test Results

Test product: Essentiva Home- Flushable Wipes 42pcs

NO.	0.5h			24h			48h		
	E	D	O	E	D	O	E	D	O
1	0	0	-	0	0	-	0	0	-
2	0	0	-	0	0	-	0	0	-
3	0	0	-	0	0	-	0	0	-
4	0	0	-	0	0	-	0	0	-
5	0	0	-	0	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	0	0	-	0	0	-	0	0	-
8	0	0	-	0	0	-	0	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	0	0	-	0	0	-
11	0	0	-	0	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-
14	0	0	-	0	0	-	0	0	-
15	0	0	-	0	0	-	0	0	-
16	0	0	-	0	0	-	0	0	-
17	0	0	-	0	0	-	0	0	-
18	0	0	-	0	0	-	0	0	-
19	0	0	-	0	0	-	0	0	-
20	0	0	-	0	0	-	0	0	-
21	0	0	-	0	0	-	0	0	-
22	0	0	-	0	0	-	0	0	-
23	0	0	-	0	0	-	0	0	-
24	0	0	-	0	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	0	0	-	0	0	-	0	0	-
27	0	0	-	0	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	0	0	-	0	0	-	0	0	-
30	0	0	-	0	0	-	0	0	-

Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026

Positive control: 1% SDS in water

NO.	0.5h			24h			48h		
	E	D	O	E	D	O	E	D	O
1	0	0	-	0	0	-	0	0	-
2	0	0	-	0	0	-	0	0	-
3	0	0	-	0	0	-	0	0	-
4	0	0	-	0	0	-	0	0	-
5	0	0	-	0	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	1	0	-	1	0	-	0	0	-
8	0.5	0	-	1	0	-	1	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	0	0	-	0	0	-
11	0	0	-	0	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-
14	0	0	-	0	0	-	0	0	-
15	0	0	-	0	0	-	0	0	-
16	0	0	-	0	0	-	0	0	-
17	1	0	-	0.5	0	-	0	0	-
18	1	0	-	1	0	-	1	0	-
19	0	0	-	0	0	-	0	0	-
20	0	0	-	0	0	-	0	0	-
21	0	0	-	0	0	-	0	0	-
22	1	0	-	1	0	-	1	0	-
23	0	0	-	0	0	-	0	0	-
24	0	0	-	0	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	0	0	-	0	0	-	0	0	-
27	0	0	-	0	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	0.5	0	-	1	0	-	0	0	-
30	0	0	-	0	0	-	0	0	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026


Negative control: Blank

NO.	0.5h			24h			48h		
	E	D	O	E	D	O	E	D	O
1	0	0	-	0	0	-	0	0	-
2	0	0	-	0	0	-	0	0	-
3	0	0	-	0	0	-	0	0	-
4	0	0	-	0	0	-	0	0	-
5	0	0	-	0	0	-	0	0	-
6	0	0	-	0	0	-	0	0	-
7	0	0	-	0	0	-	0	0	-
8	0	0	-	0	0	-	0	0	-
9	0	0	-	0	0	-	0	0	-
10	0	0	-	0	0	-	0	0	-
11	0	0	-	0	0	-	0	0	-
12	0	0	-	0	0	-	0	0	-
13	0	0	-	0	0	-	0	0	-
14	0	0	-	0	0	-	0	0	-
15	0	0	-	0	0	-	0	0	-
16	0	0	-	0	0	-	0	0	-
17	0	0	-	0	0	-	0	0	-
18	0	0	-	0	0	-	0	0	-
19	0	0	-	0	0	-	0	0	-
20	0	0	-	0	0	-	0	0	-
21	0	0	-	0	0	-	0	0	-
22	0	0	-	0	0	-	0	0	-
23	0	0	-	0	0	-	0	0	-
24	0	0	-	0	0	-	0	0	-
25	0	0	-	0	0	-	0	0	-
26	0	0	-	0	0	-	0	0	-
27	0	0	-	0	0	-	0	0	-
28	0	0	-	0	0	-	0	0	-
29	0	0	-	0	0	-	0	0	-
30	0	0	-	0	0	-	0	0	-

Test under dermatological control

Function: Dermatologist

Name and sign




Test Report

No.: SHCPCH26010116-01_EN

Date: Sep 21 2026

Sample Description: Sample in bag



Sample Photo

The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc.

*****End of report*****

